Product Specifications

Item #GP161





Magid® ROC® Lightweight Nitrile Palm Coated Work Glove

| PRODUCT DESCRIPTION | | | |
|-------------------------------|--|--|--|
| Product Classification | General Purpose Work Glove – Coated | | |
| Construction/Design | 13-gauge, seamless machine knit | | |
| Composition | 100% polyester shell; nitrile palm coating | | |
| Color(s) | Black shell; black palm coating | | |
| Size(s) | 6 – 11 | | |
| Cuff/Finish | Color-coded overcast: purple (6), red (7), green (8), brown (9), blue (10), black (11) | | |
| Unit of Measure | Dozen | | |
| Packaging | 12 pairs per inner pack, 20 inner packs per case (240 pairs per case) | | |

FEATURES & BENEFITS

- Form-fitting polyester shell offers breathability and comfort
- Nitrile palm coating delivers a superior grip in dry applications, provides good abrasion resistance and creates a barrier against oils and liquids
- Dark color hides dirt and grime to extend wear
- · Color-coded overcast reduces fraying and acts as a visual aid for sizing
- Industry-leading pricing makes for an excellent value
- ANSI Cut Level 1 Cut Resistance and ANSI Level 4 Abrasion Resistance

APPLICATIONS

Assembly, material handling, maintenance, shipping and receiving

| AVAILABLE STYLES | | | | | | | |
|------------------|--------|--------|--------|--------|---------|---------|--|
| Size | 6 | 7 | 8 | 9 | 10 | 11 | |
| Part Number | GP1616 | GP1617 | GP1618 | GP1619 | GP16110 | GP16111 | |



| FUNCTIONAL PERFORMANCE | | | | | | |
|---|--------|------------|--|--|--|--|
| US Standard: ANSI/ISEA 105-2011 American National Standard for Hand Protection Selection Criteria | | | | | | |
| Test Method | Clause | ANSI Level | | | | |
| Cut Resistance | - | 1 | | | | |
| Abrasion Resistance | - | 4 | | | | |
| US Standard: ANSI/ISEA 105-2016 American National Standard for Hand Protection Selection Criteria | | | | | | |
| Test Method | Clause | ANSI Level | | | | |
| ASTM F2992 Cut Resistance | - | A1 | | | | |
| Abrasion Resistance | | 4 | | | | |

| SERVICE LIFE | | | | | |
|---|---|--|--|--|--|
| The service life of this product will vary depending on the application and type of care administered. This product should be replaced immediately once a critical or major defect as defined below is noted. | | | | | |
| Critical Defects Holes/tears | | | | | |
| Major Defects | Dimensional or weight nonconformance, discoloration, other fabric defects | | | | |

LAUNDERING GUIDELINES

Machine wash in warm water using soap or detergent. Air dry or tumble dry with a low temperature setting. Use caution when drying as the gloves may shrink.

| Originator | Sarah Anderson | Date | 07/02/2013 | | |
|------------|----------------|------|------------|------------|---|
| Revised By | Kim Schultz | Date | 10/11/2023 | Revision # | 2 |

Please note: Specifications are subject to change

Neither this nor any statement made by or on behalf of Magid Glove & Safety herein is a warranty that any product is fit for a particular purpose, and Magid Glove & Safety shall not be liable to anyone with respect to this information.

©Magid Glove & Safety Mfg. Co. LLC. Magid* is a registered trademark of Magid Glove & Safety Mfg. Co. LLC. All other trademarks are the property of their respective owners. This document is the property of Magid Glove & Safety and the information contained herein is proprietary to Magid.

