

# Belts, wide: BW 114

**Tear-resistant, antistatic aluminum oxide wide paper belt for high loads**

---

## Product benefits

- Excellent tool life and shorter machining times
- Antistatic equipment and open grain coating prevent premature clogging with sanding dust
- Handling is easy thanks to strong F-paper with high edge stability
- Especially suitable for sanding softwoods
- Suitable for applications with high grinding pressure

---

## Applications

### Furniture:

- Fine sanding of furniture parts before coating on stationary sanding machines

### Lacquered wood parts:

- Lacquer sanding on wide belt sanding machines

---

## Product design

Type:	BW 114
Grain:	Aluminum oxide
Bonding:	Synthetic resin, antistatic
Backing:	F-paper
Coating:	Open
Grit range:	P 40/50/60/80/100/120/150/180/ 220/240/280/320/360/400/500/ 600



**Stock programme Belts, wide: BW 114**





UBN overlap joint

- 36 39/64" / 930 x 74 51/64" / 1900 mm
- 36 39/64" x 74 51/64" mm
- 43 5/16" / 1100 x 74 13/16" / 1900 mm
- 43 5/16" 1100 x 74 13/16" / 1900 mm
- 43 5/16" x 74 13/16" mm
- 44 1/2" / 1130 x 86 5/8" / 2200 mm
- 44 3/32" / 1120 x 74 13/16" / 1900 mm
- 44 3/32" / 1120 x 78 3/4" / 2000 mm
- 44 3/32" / 1120 x 84 5/8" / 2150 mm
- 44 3/32" x 74 13/16" mm
- 44 3/32" x 78 3/4" mm
- 44 3/32" x 84 5/8" mm
- 51 3/16" / 1300 x 74 13/16" / 1900 mm
- 51 3/16" x 74 13/16" mm
- 53 5/32" / 1350 x 103 5/32" / 2620 mm
- 53 5/32" x 103 5/32" mm
- 53 15/16" x 103 5/32" mm
- 54 11/32" / 1380 x 84 21/32" / 2150 mm
- 54 11/32" / 1380 x 103 5/32" / 2620 mm
- 54 11/32" x 103 5/32" mm
- 55 1/8" / 1400 x 103 5/32" / 2600 mm
- 55 1/8" x 103 5/32" mm
- 930 x 1525 mm
- 1360 x 1900 mm
- 1575 x 3200 mm
- 2061 x 3200 mm
- 3000 x 3200 mm
- x mm



UB8 overlap joint, top-skived

- 53 5/32" / 1350 x 103 5/32" / 2620 mm



Very suitable

Suitable



Suitable